



STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

Interim



CALIFORNIA STATE

ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

CERTIFICATE OF ENVIRONMENTAL ACCREDITATION

Is hereby granted to

Alpha Analytical Laboratories, Inc.

208 Mason Street

Ukiah, CA 95482

Scope of the certificate is limited to the
"Fields of Testing"
which accompany this Certificate.

Continued accredited status depends on successful completion of on-site inspection,
proficiency testing studies, and payment of applicable fees.

This Certificate is granted in accordance with provisions of
Section 100825, et seq. of the Health and Safety Code.

Certificate No.: **1551**

Expiration Date: **6/30/2020**

Effective Date: **7/1/2019**

A handwritten signature in black ink, appearing to read "Christine Sotelo".

Sacramento, California
subject to forfeiture or revocation

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

State Water Resources Control Board

June 27, 2019

Martha Younger
Alpha Analytical Laboratories, Inc.
208 Mason Street
Ukiah, CA 95482

Dear Martha Younger:

Certificate No. 1551

This is to advise you that the laboratory named above has been granted an interim certificate pursuant to California Health and Safety Code (HSC), Division 101, Part 1, Chapter 4, Section 100850(d).

The Fields of Testing for which this laboratory has been granted interim certification is shown in the enclosed "Fields of Testing". The Interim certificate shall remain in effect until **June 30, 2020** or until a certificate pursuant to HSC 100825(a) is issued.

Your laboratory is required to participate in the appropriate performance evaluation studies and to perform acceptably in such studies as stated in HSC 100870 and Title 22 of the California Code of Regulations Section 64809. Continued compliance with the Environmental Laboratory Accreditation Program statutes and regulations is required for maintaining the interim certification status.

Any changes in laboratory location or structural alterations, which may adversely affect the quality of analysis in the fields of testing for which the laboratory has been granted certification, require prior notification. Notification is also required for changes in ownership or laboratory director within 30 days after the change (HSC 100845(b) and (d)).

Contact our office at (916) 323-3431 or elapca@waterboards.ca.gov for questions.

Sincerely,

A handwritten signature in black ink that reads "Christine Sotelo".

Christine Sotelo, Chief
Environmental Laboratory Accreditation Program

Enclosure



**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing**



Alpha Analytical Laboratories, Inc.

208 Mason Street
Ukiah, CA 95482
Phone: 7074680401

**Certificate No. 1551
Expiration Date 6/30/2020
INTERIM**

Field of Testing: 101 - Microbiology of Drinking Water

101.010	001	Heterotrophic Bacteria	SM 9215 B
101.010	002	Heterotrophic Bacteria	SimPlate
101.020	001	Total Coliform P/A	SM 9221 B
101.020	002	Fecal Coliform P/A	SM 9221 B,E
101.020	003	E. coli P/A	SM 9221 B,F
101.020	004	Total Coliform (Enumeration)	SM 9221 B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.020	006	E. coli (Enumeration)	SM 9221 B,F
101.050	001	Total Coliform P/A	SM 9223 B Collert
101.050	002	E. coli P/A	SM 9223 B Collert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Collert
101.050	004	E. coli (Enumeration)	SM 9223 B Collert

Field of Testing: 102 - Inorganic Chemistry of Drinking Water

102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	005	Sodium	EPA 200.7
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	008	Phosphate, Ortho (as P)	EPA 300.0
102.030	009	Sulfate (as SO4)	EPA 300.0
102.040	001	Bromide	EPA 300.1
102.040	002	Chlorite	EPA 300.1
102.040	003	Chlorate	EPA 300.1
102.040	004	Bromate	EPA 300.1
102.045	001	Perchlorate	EPA 314.0
102.095	001	Turbidity	SM 2130 B-2001
102.100	001	Alkalinity	SM 2320 B-1997
102.120	001	Hardness (Calculation)	SM 2340 B-1997
102.121	001	Hardness	SM 2340 C-1997
102.130	001	Specific Conductance	SM 2510 B-1997

As of 6/27/2019, this list supersedes all previous lists for this certificate number.
Customers: Please verify the current accreditation standing with the State.

102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.174	001	Chlorine, Free	SM 4500-Cl F-2000
102.174	002	Chlorine, Total Residual	SM 4500-Cl F-2000
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.220	001	Nitrite (as N)	SM 4500-NO2 B-2000
102.232	002	Nitrate (as N)	SM 4500-NO3- E-2000
102.240	001	Phosphate, Ortho (as P)	SM 4500-P E-1999
102.242	001	Silica	SM 4500-SiO2 C-1997
102.262	001	Organic Carbon-Total (TOC)	SM 5310 C-2000
102.263	001	Dissolved Organic Carbon (DOC)	SM 5310 C-2000
102.270	001	Surfactants	SM 5540 C-2000
102.565	001	Cyanide, Total	Quickchem 10-204-00-1-X

Field of Testing: 103 - Toxic Chemical Elements of Drinking Water

103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	005	Cadmium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	017	Boron	EPA 200.8
103.140	018	Vanadium	EPA 200.8

103.160	001	Mercury	EPA 245.1
103.310	001	Chromium (VI)	EPA 218.6
Field of Testing: 104 - Volatile Organic Chemistry of Drinking Water			
104.030	001	1,2-Dibromoethane (EDB, Ethylene Dibromide)	EPA 504.1
104.030	002	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1
104.040	000	Volatile Organic Compounds	EPA 524.2
Field of Testing: 105 - Semi-volatile Organic Chemistry of Drinking Water			
105.030	000	N-, P- Pesticides	EPA 507
105.035	000	Organochlorine Pesticides and PCBs	EPA 508
105.082	000	Chlorinated Acids	EPA 515.3
105.091	000	Semi-volatile Organic Compounds	EPA 525.3
105.100	000	Carbamates	EPA 531.1
105.120	001	Glyphosate	EPA 547
105.140	001	Endothall	EPA 548.1
105.150	001	Diquat	EPA 549.2
105.200	008	Haloacetic Acids (HAA5)	EPA 552.2
Field of Testing: 106 - Radiochemistry of Drinking Water			
106.092	001	Uranium	EPA 200.8
Field of Testing: 107 - Microbiology of Wastewater			
107.020	002	Total Coliform	SM 9221 B-2006
107.030	002	Total Coliform with Chlorine Present	SM 9221 B-2006
107.040	002	Fecal Coliform (Enumeration)	SM 9221 C,E-2006
107.050	002	Fecal Coliform with Chlorine Present	SM 9221 C,E-2006
107.242	001	Enterococci	Enterolert
107.245	002	E. coli (Enumeration)	SM 9223 B Collert
Field of Testing: 108 - Inorganic Chemistry of Wastewater			
108.112	001	Boron	EPA 200.7
108.112	002	Calcium	EPA 200.7
108.112	004	Magnesium	EPA 200.7
108.112	005	Potassium	EPA 200.7
108.112	007	Sodium	EPA 200.7
108.112	008	Phosphorus, Total	EPA 200.7
108.113	001	Boron	EPA 200.8
108.120	002	Chloride	EPA 300.0
108.120	003	Fluoride	EPA 300.0
108.120	008	Sulfate (as SO ₄)	EPA 300.0
108.120	012	Nitrate (as N)	EPA 300.0
108.120	013	Nitrate-Nitrite (as N)	EPA 300.0
108.120	014	Nitrite (as N)	EPA 300.0
108.120	015	Phosphate, Ortho (as P)	EPA 300.0
108.121	001	Bromide	EPA 300.1 (1997 Rev.1.0)

108.360	001	Phenols, Total	EPA 420.1
108.381	001	Oil & Grease Total	EPA 1664 A
108.390	001	Turbidity	SM 2130 B-2001
108.410	001	Alkalinity	SM 2320 B-1997
108.420	001	Hardness (Calculation)	SM 2340 B-1997
108.421	001	Hardness	SM 2340 C-1997
108.430	001	Specific Conductance	SM 2510 B-1997
108.439	001	Residue, Volatile	SM 2540 E-1997
108.440	001	Residue, Total	SM 2540 B-1997
108.441	001	Residue, Filterable TDS	SM 2540 C-1997
108.442	001	Residue, Non-filterable TSS	SM 2540 D-1997
108.443	001	Residue, Settleable	SM 2540 F-1997
108.464	001	Chlorine, Total Residual	SM 4500-CI F-2000
108.464	002	Chlorine, Free	SM 4500-CI F-2000
108.490	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
108.500	002	Ammonia (as N)	SM 4500-NH3 B,C-1997
108.501	002	Kjeldahl Nitrogen, Total (as N)	SM 4500-NH3 B,C-1997
108.511	001	Kjeldahl Nitrogen, Total (as N)	SM 4500-Norg B-1997
108.514	001	Nitrite (as N)	SM 4500-NO2 B-2000
108.528	001	Nitrate-Nitrite (as N)	SM 4500-NO3- E-2000
108.528	003	Nitrate (as N) (Calculation)	SM 4500-NO3- E-2000
108.536	001	Oxygen, Dissolved	SM 4500-O G-2001
108.540	001	Phosphate, Ortho (as P)	SM 4500-P E-1999
108.541	001	Phosphorus, Total	SM 4500-P E-1999
108.552	001	Silica, Dissolved	SM 4500-SiO2 C-1997
108.584	001	Sulfide (as S)	SM 4500-S D-2000
108.592	001	Biochemical Oxygen Demand	SM 5210 B -2001
108.592	002	Carbonaceous BOD	SM 5210 B -2001
108.595	001	Chemical Oxygen Demand	SM 5220 D-1997
108.597	001	Organic Carbon-Total (TOC)	SM 5310 C-2000
108.605	001	Surfactants	SM 5540 C-2000
108.926	001	Cyanide, Total	Quickchem 10-204-00-1-X

Field of Testing: 109 - Toxic Chemical Elements of Wastewater

109.010	001	Aluminum	EPA 200.7
109.010	002	Antimony	EPA 200.7
109.010	003	Arsenic	EPA 200.7
109.010	004	Barium	EPA 200.7
109.010	005	Beryllium	EPA 200.7
109.010	006	Boron	EPA 200.7
109.010	007	Cadmium	EPA 200.7
109.010	009	Chromium	EPA 200.7
109.010	010	Cobalt	EPA 200.7

109.010	011	Copper	EPA 200.7
109.010	012	Iron	EPA 200.7
109.010	013	Lead	EPA 200.7
109.010	015	Manganese	EPA 200.7
109.010	016	Molybdenum	EPA 200.7
109.010	017	Nickel	EPA 200.7
109.010	019	Selenium	EPA 200.7
109.010	021	Silver	EPA 200.7
109.010	023	Thallium	EPA 200.7
109.010	024	Tin	EPA 200.7
109.010	025	Titanium	EPA 200.7
109.010	026	Vanadium	EPA 200.7
109.010	027	Zinc	EPA 200.7
109.020	001	Aluminum	EPA 200.8
109.020	002	Antimony	EPA 200.8
109.020	003	Arsenic	EPA 200.8
109.020	004	Barium	EPA 200.8
109.020	005	Beryllium	EPA 200.8
109.020	006	Cadmium	EPA 200.8
109.020	007	Chromium	EPA 200.8
109.020	008	Cobalt	EPA 200.8
109.020	009	Copper	EPA 200.8
109.020	010	Lead	EPA 200.8
109.020	011	Manganese	EPA 200.8
109.020	012	Molybdenum	EPA 200.8
109.020	013	Nickel	EPA 200.8
109.020	014	Selenium	EPA 200.8
109.020	015	Silver	EPA 200.8
109.020	016	Thallium	EPA 200.8
109.020	017	Vanadium	EPA 200.8
109.020	018	Zinc	EPA 200.8
109.020	021	Iron	EPA 200.8
109.020	022	Tin	EPA 200.8
109.020	023	Titanium	EPA 200.8
109.104	001	Chromium (VI)	EPA 218.6
109.190	001	Mercury	EPA 245.1
109.445	002	Chromium (VI)	SM 3500-Cr B-2009

Field of Testing: 110 - Volatile Organic Chemistry of Wastewater

110.040 000 Purgeable Organic Compounds EPA 624

Field of Testing: 111 - Semi-volatile Organic Chemistry of Wastewater

111.091 000 Organophosphorus Pesticides EPA 614

111.100 000 Base/Neutral & Acid Organics EPA 625

111.170 000 Organochlorine Pesticides and PCBs EPA 608

Field of Testing: 113 - Whole Effluent Toxicity of Wastewater

113.022	003A	Rainbow trout (O. mykiss)	EPA 2019 (EPA-821-R-02-012), Static
113.022	003B	Rainbow trout (O. mykiss)	EPA 2019 (EPA-821-R-02-012), Static Renewal

Field of Testing: 114 - Inorganic Chemistry of Hazardous Waste

114.010	001	Antimony	EPA 6010 B
114.010	002	Arsenic	EPA 6010 B
114.010	003	Barium	EPA 6010 B
114.010	004	Beryllium	EPA 6010 B
114.010	005	Cadmium	EPA 6010 B
114.010	006	Chromium	EPA 6010 B
114.010	007	Cobalt	EPA 6010 B
114.010	008	Copper	EPA 6010 B
114.010	009	Lead	EPA 6010 B
114.010	010	Molybdenum	EPA 6010 B
114.010	011	Nickel	EPA 6010 B
114.010	012	Selenium	EPA 6010 B
114.010	013	Silver	EPA 6010 B
114.010	014	Thallium	EPA 6010 B
114.010	015	Vanadium	EPA 6010 B
114.010	016	Zinc	EPA 6010 B
114.103	001	Chromium (VI)	EPA 7196 A
114.140	001	Mercury	EPA 7470 A
114.141	001	Mercury	EPA 7471 A
114.222	001	Cyanide, Total	EPA 9014
114.240	001	Corrosivity - pH Determination	EPA 9040 B
114.241	001	Corrosivity - pH Determination	EPA 9045 C

Field of Testing: 115 - Extraction Test of Hazardous Waste

115.020	001	Toxicity Characteristic Leaching Procedure (TCLP)	EPA 1311 (TCLP)
115.030	001	Waste Extraction Test (WET)	CCR Chapter 11, Article 5, Appendix II

Field of Testing: 116 - Volatile Organic Chemistry of Hazardous Waste

116.080	000	Volatile Organic Compounds	EPA 8260 B
116.080	120	Oxygenates	EPA 8260 B
116.100	001	Total Petroleum Hydrocarbons - Gasoline (GRO)	LUFT GC/MS Aqueous Only

Field of Testing: 117 - Semi-volatile Organic Chemistry of Hazardous Waste

117.010	001	Diesel-range Total Petroleum Hydrocarbons	EPA 8015 B
117.016	001	Diesel-range Total Petroleum Hydrocarbons	LUFT
117.110	000	Extractable Organics	EPA 8270 C
117.150	000	Carbonyl Compounds	EPA 8315 A
117.210	000	Organochlorine Pesticides	EPA 8081 A
117.220	000	PCBs	EPA 8082

117.240	000	Organophosphorus Pesticides	EPA 8141 A	Aqueous Only
117.250	000	Chlorinated Herbicides	EPA 8151 A	Aqueous Only

Field of Testing: 119 - Toxicity Bioassay of Hazardous Waste

119.010	001	Fathead Minnow (<i>P. promelas</i>)	Polisini & Miller (CDFG 1988)	Interim
---------	-----	---------------------------------------	-------------------------------	---------

Field of Testing: 120 - Physical Properties of Hazardous Waste

120.040	001	Reactive Cyanide	Section 7.3 SW-846	
120.050	001	Reactive Sulfide	Section 7.3 SW-846	
120.070	001	Corrosivity - pH Determination	EPA 9040 B	
120.080	001	Corrosivity - pH Determination	EPA 9045 C	

Field of Testing: 126 - Microbiology of Recreational Water

126.010	001	Total Coliform (Enumeration)	SM 9221 B-2006	
126.030	001	Fecal Coliform (Enumeration)	SM 9221 C,E-2006	
126.050	001	Total Coliform (Enumeration)	SM 9223 B Collert	
126.050	002	<i>E. coli</i> (Enumeration)	SM 9223 B Collert	
126.080	001	Enterococci	Enterolert	